Credelio CAT (lotilaner)

Stay Credelio close

First flea and tick chewable for cats





MONTHLY CHEWABLE PROTECTION IS WITHIN REACH.

Cats are curious, adventurous... and vulnerable to fleas and ticks. Protect your best feline friend with Credelio[®] CAT (lotilaner).

The hidden threat of fleas and ticks

- Cats can "hide" fleas and ticks. Cats are known for masking symptoms of infestation, and fleas and ticks can be small and difficult to see.
- Grooming can be a sign of fleas or ticks. You might think your cat is just grooming off dirt, when he or she is actually grooming off fleas, ticks or flea poop.
- Fleas can cause blood loss, disease and tapeworms. Fleas can also cause uncomfortable skin problems in cats like flea allergy dermatitis (FAD).
- Fleas can quickly infest your home, laying up to 2000 eggs in their lifetime.¹
- Fleas and ticks are more common in cats than you might think. Cats are not taken to the veterinarian as often as dogs, which is one reason an infestation might go unchecked.

Please see Credelio Cat Important Safety Information on back cover.

FIGHTS FLEAS AND TICKS ALL MONTH LONG.

Acts fast against fleas

6 HOURS

Starts killing fleas within **6 hours**

12 HOURS Kills more than 98% of fleas by 12 hours

24 HOURS

Kills **100%** of fleas by 24 hours²



Did you know Credelio Cat protects against black-legged ticks, the most common tick in cats?³ It's true! Even indoor cats need protection from ticks.

> Gentle enough for kittens[†]

[†]Approved to treat and prevent fleas in kittens 8 weeks or older weighing 2.0 pounds or greater and to treat and control ticks in kittens 6 months of age or older weighing 2.0 pounds or greater

SMALL CHEW. BIG BENEFITS.



LASTING FLEA AND TICK CONTROL

SMALL, TASTY CHEW THAT'S EASY TO GIVE

Credelio



APPEALING SMELL AND FLAVOR

Passes the "sniff test"

Cats use their sense of smell just as much as taste. Credelio[®] CAT (lotilaner) is made with vanilla and yeast to appeal to cats.⁴

Must be administered with food.

DOSING SUCCESS WITHOUT THE MESS.

Don't like applying topicals? Wish your cat didn't have to stay away while the product dries?

Credelio Cat is an easy-to-give option with:

- No mess or greasy application
- No unpleasant odor
- No "time out" period

Stay Credelio close

More than 99% of cat owners in a study successfully gave this small, tasty chewable to their cats – no time out required.⁵ So can you!

Important Safety Information

Lotilaner is a member of the isoxazoline class. This class has been associated with neurologic adverse reactions including tremors, incoordination, and seizures. Neurologic adverse reactions have been reported in cats receiving isoxazoline class drugs, even in cats without a history of neurologic disorders. Use with caution in cats with a history of neurologic disorders.



CONSUMER BRIEF SUMMARY FOR CREDELIO[®] CAT (LOTILANER)

Information for Cat Owners – You should read this information before starting your cat on CREDELIO CAT. The risk information provided here is not comprehensive. Talk with your veterinarian if there is something you do not understand or if you want to learn more about CREDELIO CAT.

Always follow your veterinarian's instructions for giving your cat CREDELIO CAT. Ask your veterinarian, visit <u>www.credelio.com</u> or call 1-888-545-5973 to obtain the complete FDA-approved drug labeling.

What is CREDELIO Cat?

- CREDELIO CAT is a monthly chewable tablet used to kill adult fleas and for the treatment and prevention of flea infestations in cats and kittens 8 weeks of age and older, and weighing 2.0 pounds or greater.
- CREDELIO CAT is also used for the treatment and control of black-legged tick infestations in cats and kittens 6 months of age and older, and weighing 2.0 pounds or greater.

What is the most important information I should know about CREDELIO CAT?

Not for use in humans. Keep this and all medications out of reach of children.

Keep CREDELIO CAT in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose.

Lotilaner, the active ingredient for CREDELIO CAT, is a member of the isoxazoline class of drugs. This class has been associated with neurologic adverse reactions including tremors, incoordination, and seizures. These neurologic adverse reactions have been reported in cats receiving this class of drugs, even in cats without a history of neurologic disorders. Use with caution in cats with a history of neurologic disorders.

- The safety of CREDELIO CAT has not been established in breeding, pregnant and lactating cats.
- The effectiveness of CREDELIO CAT against black legged ticks in kittens less than 6 months of age has not been evaluated.
- CREDELIO CAT must be administered with a meal or 30 minutes after feeding for maximum effectiveness.

What are the most common side effects that may occur while my cat is taking CREDELIO CAT?

- Weight loss
- Rapid breathing
- Vomiting

Tell your veterinarian if your cat experiences these or any other side effect.

To report suspected adverse reactions, call 1-888-545-5973. For additional information about adverse drug experience reporting for animal drugs, contact the Food and Drug Administration (FDA) at 1-888-FDA-VETS or http://www.fda.gov/ reportanimalae.

What if i give more than the prescribed dose of CREDELIO CAT?

Contact your veterinarian as soon as possible.

Credelio, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2021 Elanco or its affiliates. PM-US-21-0697



Ask about available rebates for Credelio® CAT (lotilaner).



Indications

Credelio CAT kills adult fleas and is indicated for the treatment and prevention of flea infestations for one month in cats and kittens 8 weeks of age and older and weighing 2 pounds or greater. Credelio CAT is also indicated for treatment and control of black-legged tick infestations for one month in cats and kittens 6 months of age and older and weighing 2 pounds or greater.

Important Safety Information

Lotilaner is a member of the isoxazoline class. This class has been associated with neurologic adverse reactions including tremors, incoordination, and seizures. Neurologic adverse reactions have been reported in cats receiving isoxazoline class drugs, even in cats without a history of neurologic disorders. Use with caution in cats with a history of neurologic disorders. The safety of Credelio CAT has not been established in breeding, pregnant and lactating cats. The effectiveness of Credelio CAT against black-legged ticks in kittens less than 6 months of age has not been evaluated. The most frequently reported adverse reactions are weight loss, rapid breathing and vomiting. For complete safety information, please see Credelio CAT product label or ask your veterinarian.

'Companion Animal Parasite Council. Fleas. Available at: https://capcvet.org/ guidelines/fleas/. Accessed March 5, 2018.

²Paarlberg T, Karadzovska D, Helbig R. Efficacy of lotilaner (Credelio^{**}) against experimentally induced infestations of the adult cat flea, Ctenocephalides felis, and flea eggs following oral administration to cats. Parasite Vector. 2021;14:139.

³Little SE, Barrett AW, Nagamori Y, et al. Ticks from cats in the United States:

Patterns of infestation and infection with pathogens. Vet Parasitol. 2018;257:15. ⁴Toutain C, Seewald T, Jung M. Pharmacokinetics of lotilaner following a single oral or intravenous administration in cats. Parasite Vector. 2018;11:412.

⁵Chappell K, Paarlberg T, Seewald W, et al. A randomized, controlled field study to assess the efficacy and safety of lotilaner flavored chewable tablets (Credelio[®] CAT) in eliminating fleas in client-owned cats in the USA. Parasite Vector. 2021;14:127.

Credelio, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates. © 2021 Elanco or its affiliates. PM-US-21-1348

